

CURRICULUM VITAE

Name Dong Ock Lee, MD, Ph.D.

Center Details

Country KOREA

Address Center for Uterine Cancer, National Cancer Center
111 Jungbalsan-ro, Ilsandong-gu, Goyang-si, Gyeonggi-do,
410-769,

Education (university and/or medical), MD License number :

1993.3-1999.2 Seoul National University, College of Medicine, 66947

2004.3-2006.2 M.S. Department of OB&GYN, Seoul National University Graduate School of Medicine

2009.9-2012.8 Ph.D. Reproductive Endocrinology, Department of OB&GYN, Seoul National University Graduate School of Medicine

Postgraduate training

2005.3-2006.2 Fellowship, Seoul National University Hospital

2001.3-2005.2 Resident, Department of Obstetrics and Gynecology, Seoul National University Hospital

1999.3-2000.2 Intern, Seoul National University Hospital

Board Certification or local equivalent

Korean Society of Obstetrics and Gynecology

Academic Activities

2005-Present Member of Korean Society of Obstetrics and Gynecology

2005-Present The Korean Society of Menopause

2005-Present The Korean Society of Osteoporosis

Current position

2006.3- Staff of Center for Uterine Cancer / Center for Cancer Prevention and Detection in National Cancer Center, Korea

Publications

Comparison of DRY and WET vaginal swabs with cervical specimens in Roche Cobas 4800 HPV and Abbott RealTime High Risk HPV tests: JOURNAL OF CLINICAL VIROLOGY. 2016; 79:80~84.

Combined effect of diet and cervical microbiome on the risk of cervical intraepithelial neoplasia: Clinical Nutrition. 2016 Online:Published

Uptake of risk-reducing salpingo-oophorectomy among female BRCA mutation carriers: experience at the National Cancer Center of Korea.: Journal of Cancer Research and Clinical Oncology. 2015;142(1):333~340.

Alcohol consumption and persistent infection of high-risk human papillomavirus: Epidemiology and Infection. 2015;143:1442~1450.

Quality of life and sexuality comparison between sexually active ovarian cancer survivors and healthy women: Journal of gynecologic oncology. 2015;26(2):148~154.

Efficacy and oncologic safety of nerve-sparing radical hysterectomy for cervical cancer: a randomized controlled trial.: Journal of gynecologic oncology. 2015;26(2):90~99.

Ligation of uterine vessels in total laparoscopic hysterectomy using Hem-o-lok clips.: Taiwanese journal of obstetrics & gynecology. 2015;54(1):8~12.

Development and validation of the korean version of the female sexual function index-6 (FSFI-6K): Yonsei medical journal. 2014;55(5):1442~1446.

Synergistic Effect of Viral Load and Alcohol Consumption on the Risk of Persistent High-Risk Human Papillomavirus Infection: PLoS One. 2014;9(8):e104374~e104374

Development and Evaluation of Korean Version of Quality of Sexual Function (QSF-K) in Healthy Korean Women: Journal of Korean Medical Science. 2014;29(6):758~763.

Association between polymorphisms in sclerostin, dickkopfs and secreted frizzled-related protein genes and bone mineral density in postmenopausal Korean women: Gynecologic and obstetric investigation. 2014;77(3):186~193.

Prospective comparison of biopsy results from curettage and hysteroscopy in postmenopausal uterine bleeding.: Journal of Obstetrics and Gynaecology Research. 2011;37(10):1423~1426.

Persistent human papillomavirus DNA is associated with local recurrence after radiotherapy of uterine cervical cancer: International Journal of Cancer. 2011;129(4):896~902.

Lower urinary tract injuries diagnosed after hysterectomy: Seven-year experience at a cancer hospital: The Journal Of Obstetrics and Gynaecology Research. 2010;36:318~325.

Feasibility and Limitation Of Clinical Application of FRAX™ in Korean Menopausal Women: A Single Center Study: Journal of the Korean society of osteoporosis. 2009;7:203~208.

Appendectomy in Retrograde Order for Complete Removal of Endometriosis: Gynecological Endocrinology. 2009;25(12):844~847.

Clinical manifestations in patients with ovarian clear cell carcinoma with or without co-existing endometriosis: Gynecological Endocrinology. 2009;25(7):435~440.

Role of high risk-human papilloma virus test in the follow-up of patients who underwent conization of the cervix for cervical intraepithelial neoplasia: Journal of Gynecologic Oncology. 2009;20(2):86~90.

Comparison of histologic results from hysteroscopic biopsy and blinded biopsy by curettage in women with tamoxifen therapy after breast cancer: The journal of Korean society of menopause. 2009;14:246~250.

Comparison of Histologic Results from Hysteroscopic Biopsy and Blinded Biopsy by Curettage in Women with Tamoxifen Therapy after Breast Cancer: The journal of Korean society of menopause. 2008;14:246~250.

Insulin-like growth factor binding protein-5 (IGFBP-5) acts as a tumor suppressor by inhibiting angiogenesis: Carcinogenesis. 2008;29:2106~2111.

Changes in the serum levels of osteoprotegerin and soluble receptor activator for nuclear factor kappaB ligand after estrogen-progestogen therapy and their relationships with changes in bone mass in postmenopausal women.: Menopause. 2008;15:357~362.


Relationships between the insulin-like growth factor I (IGF-I) receptor gene G3174A polymorphism, serum IGF-I levels, and bone mineral density in postmenopausal Korean women.: Journal of Bone Mineral Metabolism. 2008;26:42~46.

Factors that Affect on Bone Destiny in Premenopausal Women. The Journal of Korean Society of Osteoporosis. 2007;5(2):94~99.

The Effect of Tibolone on Bone Density in Women with Early Menopause Resulting from Cancer Treatment: Journal of the Korean society of osteoporosis. 2007;5:72~77.

Relationship of osteocalcin and matrix Gla protein gene polymorphisms to serum osteocalcin levels and bone mineral density in postmenopausal Korean women. Menopause. 2006;13:467~473.

Date : 13 April 2017

A handwritten signature in black ink, consisting of a stylized, cursive script, positioned above a horizontal line.